


Attorney Docket No.: C4307(C)  
Serial No.: 10/561,563  
Filed: June 8, 2006  
Confirmation No.: 9912

### **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listing of claims in the application.

#### **Listing of Claims:**


Claim 1 (Currently Amended) A laundry treatment composition which comprises a surfactant and from 0.0001 to 0.1 wt% of a combination of dyes which together have a visual effect on the human eye as a single dye having a peak absorption wavelength on cotton of from 540 nm to 650 nm, preferably from 570 nm to 630 nm, the combination comprising a photostable dye which is substantive to cotton, wherein the photostable ~~dye~~ ~~dye is selected from the group comprising tris azo direct blue dyes of the formula~~



~~Where at least two of the A, B and C naphthyl rings are substituted by a sulphonate group, the C ring may be substituted at the 5 position by an  $\text{NH}_2$  or  $\text{NHPH}$  group, X is a benzyl or naphthyl ring substituted with up to 2 sulphonate groups and may be substituted at 2 position with a OH group and may also be substituted with an  $\text{NH}_2$  or  $\text{NHPH}$  group,~~


Attorney Docket No.: C4307(C)  
Serial No.: 10/561,563  
Filed: June 8, 2006  
Confirmation No.: 9912

| And is a bis-azo direct violet dyes-dye of the formula:



| Where Z is H or phenyl, the A ring is preferably substituted by a methyl and methoxy group at the positions indicated by arrows, the A ring may also be a naphthyl ring, the Y group is a benzyl phenyl or naphthyl ring, which is substituted by sulphate-sulphonate group and may be mono or disubstituted by methyl groups.

Claim 2 (Currently Amended) A laundry treatment composition which comprises a surfactant and from 0.0001 to 0.1 wt% of a photostable dye which is substantive to cotton, the dye having a peak absorption wavelength on cotton of from 540 nm to 650 nm, preferably from 570 nm to 630 nm, and wherein the photostable dye is selected from the group comprising tris-azo direct blue dyes of the formula:




| Where at least two of the A, B and C naphthyl rings are substituted by a sulphonate group, the C ring may be substituted at the 5 position by an NH2 or NHPH group, X is a

Attorney Docket No.: C4307(C)  
Serial No.: 10/561,563  
Filed: June 8, 2006  
Confirmation No.: 9912

~~benzyl or naphthyl ring substituted with up to 2 sulphonate groups and may be substituted at 2 position with a OH group and may also be substituted with an NH<sub>2</sub> or NHPh group,~~

~~and a bis-azo direct violet dyes dye of the formula:~~



~~where Z is H or phenyl, the A ring is preferably substituted by a methyl and methoxy group at the positions indicated by arrows, the A ring may also be a naphthyl ring, the Y group is a benzyl phenyl or naphthyl ring, which is substituted by sulphate sulphonate group and may be mono or disubstituted by methyl groups.~~

Claims 3-8 (Cancelled)

Claim 9 (Currently Amended) A composition as claimed in claim 31, which comprises from 5 to 60 wt % of surfactant.

Claim 10 (Previously Presented) A composition as claimed in claim 1, which comprises fluorescer.

Claim 11 (Cancelled)

Claim 12 (New) A laundry treatment composition as claimed in claim 1, wherein the A ring is substituted by a methyl and methoxy group at the positions indicated by arrows.